

INDEX MAPS.

T.15N R.7W 2<sup>nd</sup> Mer.

	320-321	320-321	320-321	320-321	320-321	320-322	319-322					
324	6	345	5	339	4	336	3	332	2	328	1	319
	345		344		339		335		331		327	
323	7	344	8	339	9	335	10	331	11	327	12	319
	344		343		338		334		330		326	
323	18	343	17	338	16	334	15	330	14	326	13	319
	343		342		338		334		330		326	
323	19	346	20	337	21	333	22	329	23	325	24	318
	341		341		337		333		329		325	
323	30	341	29	337	28	333	27	329	26	325	25	318
	340		340		336		332		328		324	
322	31	340	32	336	33	332	34	328	35	324	36	318
	316		315-316		315-316		315-317		315-317		317-315	

T.16N R.7W 2<sup>nd</sup> Mer.

355	6	378	5	372	4	368	3	364	2	360	1	351
	377		377		371		367		363		359	
355	7	376	8	371	9	367	10	363	11	359	12	351
	376		376		371		367		362		358	
355	18	375	17	370	16	366	15	362	14	358	13	350
	375		375		370		366		362		358	
354	19	374	20	370	21	365	22	361	23	357	24	350
	374		374		369		365		361		357	
354	30	373	29	369	28	365	27	361	26	357	25	350
	373		373		369		364		360		356	
354	31	372	32	368	33	364	34	360	35	356	36	349
	348		347-348		347-348		347-349		347-349		347-349	

The figures on the lines refer to the page.

Township No. 16 North of Range No. 7 West of the 2nd Mer. Ind. a.

Ch. Lks.

July 19. 1819. I. Va. 6. 10.

South Boundary.

Met Quak Run line between Sec. 1 & 36. I on the South Bdy of Sec. 36. T. 16. N. R. 7 W.

15.00 To a Brook 3 miles wide, corner N

40.00 Set a trip. post for the corner.

80.00 Set a trip. post for the corner of Sec. 35 & 36.

Land is rich under the West to good Bottom. Land good for farming.

Met Quak Run line On the South Boundary of Sec. 35. T. 16. N. R. 7 W.

15.00 To a brook 100 miles wide, corner S.

40.00 Set a trip. post for the corner.

80.00 Set a " post for the corner of Sec. 34 & 35. Trip. post

Land is rather for farming. South Bottom.

Met Quak Run line On the South Boundary of Sec. 34. T. 16. N. R. 7 W.

20.00 To a Dry Brook 10 miles wide, corner S.

40.00 Set a trip. post for the corner.

80.00 Set a trip. post for the corner of Sec. 33 & 34

Land is rather for farming; West to rather Broken Timber & Bush & Sugar.

Met Quak Run line On the S. Boundary of Sec. 33. T. 16. N. R. 7 W.

15.00 To a Brook 15 miles wide, corner S.

40.00 Set a trip. post for the corner.

80.00 Set a " post for the corner of Sec. 32 & 33.

Land is rather Broken; & part land under one holding good for farming.

Met Quak Run line On the South Boundary of Sec. 32. T. 16. N. R. 7 W.

37.00 To a Brook 15 miles wide, corner S.



I. N. 16. A. R. N. 77 2<sup>nd</sup> Mm. Ind.

40.00	Set a trap for the super
80.00	Set a " post for the corner 31 & 32. Land rolling under 2 <sup>nd</sup> rate; Lumber, Sugar, Heights, etc. Good ground for farming.
West	On a new line On the South Bound of sec. 31. T. 16. N. R. 7 W.
15.00	To a Brook 8 miles in. corner S.
26.00	To a do. 3 " " " N. W.
35.00	" do 30 " " " S.
81.95.	Intersect the Range line. 339 miles South of the trap corner of T. 15 & 16. N. R. 7 & 8 W. Land similar and about 1300 feet
East	On the new line On the South Bound of sec. 31 T. 16. N. R. 7 W.
41.95	Set the trap for the super on the new line from which N Oak 27 in diam. trees. S 81 W. 29 miles dist. to Brook. of " " " N 81 E. 25 " "
81.95.	Set the trap East at the new line from which (31 & 32) Brook. 12 in diam. trees. N 60 W. 28 miles dist. to do. 5 " " " South 28 " "
East	On the new line On the South Bound of sec. 32 T. 16. N. R. 7 W.
40.00	Set the trap for the super on the new line from which Sugar. 18 in diam. trees. S 81 W. 21 miles dist. to N. Walnut. 9 " " " N 2 E. 15 " "
80.00	Set the trap post on the new line for the corner of sec. 32 & 33. from which Sugar. 8 in diam. trees. N 42 W. 7 miles dist. under a N Oak. 11 " " " S 67 E. 15 " "
East	On the new line On the South Bound of sec. 33. T. 16. N. R. 7 W.
40.00	Set the trap for the super on the new line from which

T. N. 16. N. R. N. of N 2<sup>nd</sup> (Mn. Ind.)

80.00	Beck. 4 in dist. beam. S 12 E 100 knots each, 20 N Oak. 18 " " " S 28 N 23. " Set a post for the cor of sec. 33 & 34 on the true line from which, Sugar. 12 in dist. beam. S 31 E. 30. knots each, 40 " " " " " S 29 N 17 " "
East	On the true line On the South Bound of sec. 34. T. 16. N. R. 7 N
40.00	Set the temp. 7 <sup>th</sup> support at the cor dist. on the true line from which, Sugar. 10 in dist. beam. S 41 N 14 knots each made a Sugar. 11 " " " S 25 E. 18 " "
80.00	Set the temp. 1 <sup>st</sup> post at the true line for the cor of sec. 34 & 35. from which, Sugar. 11 in dist. beam. S 32 E 21 knots each made a Buckeye 5 " " " S 29 N 29 " "
East	On the true line On the South Bound of sec. 35. T. 16. N. R. 7 N
40.00	Set the temp. 1 <sup>st</sup> support at the true line from which, Hackberry 12 in dist. beam. S 52 N 36 knots each Buckeye 9 " " " S 66 E. 11 " "
80.00	A Sugar. 20 in dist. beam. on the true line for the cor of Sec. 35 & 36.
East	On the true line On the South Bound of sec. 36. T. 16. N. R. 7 N
40.00	Set the temp. 1 <sup>st</sup> support on the true line from which, Hackberry 20 in dist. beam. S 31 N 17 knots each, 40 Sugar 9 " " " S 34 N 13 " "
80.00	To the post cor of sec. 1-6 31 & 36. T. 15 & 16. N. R. 7 & 6 N
East Bound	
North	On the East Bound of sec. 36. T. 16. N. R. 7 N
40.00	Set a 7 <sup>th</sup> support from which, Beck 8 in dist. beam. S 48 E 13 knots each, 20 Hackberry 10 " " " S 36 N 22 " "
45.50	To the post 7 knots mid, course N







T. N. 16. N. R. N. 77. 2<sup>d</sup> Mr. Ind.

for T. 16 & N. R. 77. and set apart from which,  
Sugar 8 in diam. beam. 48 E. 15 units each Pa,  
Do. 8 " " " N 48 W 7 " "

V. or. by observation T. 10'

60.00 Toat Brook 8 units wide, Corner J.

72.00 " " Do. 8 " " " "

80.00 Set apart for the cor of cut 31 & 32 T. 17. N. R. 77 from  
which, Sugar 18 in diam. beam. N 51 W. 2 units each Pa,  
Beam 27 " " East 29 " "

Land 2<sup>d</sup> rate; West 7 rather Broken. Timber  
Deep Sugar Oak & Ash.

Land mudding good for farming.

August 13 1819

West On the South Branch of the 31. T. 17. N. R. 6 W  
& On the North Do. " " T. 16. N. R. 7 "

15.00 Enter Swamp.

25.00 Passed it.

40.00 Set apart for the cor of cut from which,

Beam 10 in diam. beam. N 61 E. 20 units each Pa,

Do 30 " " " S 89 W. 16 " "

80.00 Set apart for the cor of T. 17 N. R. 6 & 7 W from which

Beam 12 in diam. beam. N 87 E. 37 units each Pa,

Beam 11 " " " N 49 W. 33 " "

Land 2<sup>d</sup> rate part rather wet. Timber same  
mudding good for farming land.

West On the South Branch of the 36. T. 17. N. R. 7 W.  
& " " North " " " " 216 " " 7 W

40.00 Set apart for the cor of cut from which,

Beam 9 in diam. beam. S 50 E. 9 units each Pa,

Beam 7 " " " N 45 W. 25 " "

80.00 Set apart for the cor of cut 35 & 36 from which

Beam 9 in diam. beam. N 44 W. 24 units each Pa,

Do. 11 " " " S 37 E. 20 " "

Land here and mudding good for farming Timber Red Sugar.



## T. N. 16. N. R. No. 7 of N 2nd Mer. Sec. 4.

Nest	Between Sec 3 & 35. T. 16 & 17 N. R. 7 N. & on the South 'Brimd' of sec. 35. T. 17 N. R. 7 N.
40.00	Set up a post from which, Beck. 4 in dist. from N 61 W 20 links dist. & a, Do 6 " " " S 53 E 25 " "
50.00	To a Brook 10 links wide, corner S. W.
55.00	" S. 16. 10 " " " S. W.
75.00	" " Do. 15 " " " S. W.
80.00	Set a post for the cor of sec 34 & 35. from which, Beck. 18 in dist. from N 22 E 3 links dist. & a, Do. 12 " " " S 22 W. 10 " " Land same.

Nest	On the South 'Brimd' of sec. 34. T. 17 N. R. 7 N. &
	" " South " " " 4 " 16 " " " "
40.00	Set up a post from which, Beck. 12 in dist. from S 70 W 30 links dist. & a, Do. 12 " " " S 69 E 38 " "
80.00	Set a post for the cor of sec 33 & 34. from which, Beck. 10 in dist. from S 17 W. 20 links dist. & a, Sugar. 4 " " " S 55 E 21 " " Land same.

Nest	On the South 'Brimd' of sec. 33. T. 17 N. R. 7 N. &
	" " South " " " 5 " 16 " " " "
# 40.00	Set up a post from which, Beck. 9 in dist. from S 83 E 21 links dist. & a, Sugar 9 " " " S 80 W 6 " "
80.00	Set a post for the cor of sec 32 & 33. from which, Beck. 14 in dist. from S 60 W 12 links dist. & a, Sugar. 14 " " " S 51 E 17 " "
# 38.00	To a Brook 5 links wide, corner S. W.

Nest	On the South 'Brimd' of sec. 32. T. 17 N. R. 7 N. &
	" " South " " " 6 " 16 " " " "
34.50	To a Brook 20 links wide, corner N.

T. N. 16. R. N. 7 W 2<sup>nd</sup> Mer. Ind.

- 40.00 Set a  $\frac{1}{4}$  supost from whike,  
 Iron rods 8 in dia. burs. N11 W 18 links each, &  
 W Oak. 18 " " " N36.28 " "
- 51.15 Intersect the Range line 725 links South of the township Township  
 cor Set a post for the cor of sec. 1 & 6. T. 16 N. 16 R. 7 W 8 W  
 from whike, Buck. 8 in dia. burs. S88 E. 23 links each, &  
 \* a Do. 41. " " N89 W 20 " "
- Variation by observation 7.00 S.
- 80.00 Set a post for the cor of sec. 31 & 32 from whike,  
 Sugar. 11 in dia. burs. S4 E. 10 links each, &  
 Do. 71. " " N39 W 38 " "
- Sand part land and part Broken 2<sup>nd</sup> rate. Timber Buck,  
 Sugar Ash & Poplar. The land is good for farming.

- West Boundary - N. 64.5°
- North On the East Boundary of sec. 36. T. 16. R. 8 W
- 40.00 Set a  $\frac{1}{4}$  supost from whike,  
 Cherry 7 in dia. burs. N47 E. 30 links each, &  
 Buck 9 " " " S38 W 23 " "
- 52.00 To a Rock 12 links each, corner E.
- 80.00 Set a post for the cor of sec. 25 & 36. from whike,  
 Buck. 14 in dia. burs. N37 W 41 links each, &  
 W ash. 15 " " " S48 E. 18 " "
- Sand land and is good for farming: Timber Buck, Oak,  
 Sugar & Ash.

- North On the East Boundary of sec. 25. T. 16. R. 8 W
- 40.00 Set a  $\frac{1}{4}$  supost from whike,  
 W Oak. 12 in dia. burs. N5 W. 20 links each, &  
 Hickory 8 " " " S34 W 21 " "
- 80.00 Set a post for the cor of sec. 24 & 25. from whike,  
 Buck. 27 in dia. burs. S70 E. 42 links each, &  
 Sugar. 18 " " " S87 W 22 " "
- Grade same.

North On the East Boundary of sec. 24. T. 16. R. 7 W





T. N. 16 N. R. N. 6. W. 2<sup>nd</sup> (M. Ind.)

- 40.00 Set a post from which  
Sugar 12 in dia. beam. S 5 E 20 links dist. &c,  
W Oak 18 " " S 5 W 19 " "
- 40.00 To a Brook 8 links wide, corner E.
- 80.00 Set a tump. to support for the cor of T. 16 N. 6. W. 2<sup>nd</sup> 7<sup>th</sup>  
Land good for farming. (Rathm.)
- 72.75 To the Tump. cor. See page 354\*  
Surveyed by  
William Harris D.S.

## Subdivisions

- North Return to 35 & 36. T. 16 N. 6. W. 2<sup>nd</sup> 7<sup>th</sup>.
- 18.82 To a black liny 18 in dia. in the line.
- 25.50 To a Brook 15 links wide, corner W.
- 40.00 Set a post from which a  
Beck 12 in dia. beam. N 17 E 19 links dist. &c,  
W Oak 30 " " S 12 E 18 " "
- 56.11 To a Sugar 15 in dia. in the line.
- 80.00 Set a post for the cor of sec. 25 & 36. 35 & 36 from which,  
Hick 10 in dia. beam. N 12 E 14 links dist. &c,  
Beck. 6 in " " S 60 E 26 " "  
Land good for farming. Timber Walnut,  
Sugar. Hick. Beck. &c. W. Spruce.

- East On a Random line between Sec. 25 & 36. T. 16 N. 6. W. 2<sup>nd</sup> 7<sup>th</sup>
- 40.00 Set a tump. to support.
- 53.50 To a Brook 10 links wide, corner T. N.
- 79.70 Intercept the East Boundary 90 links North of the post  
cor of sec. 25 & 36.  
Land hilly and good for farming; Timber W. Wal-  
nut Beck, W Oak Sugar, &c. W. Spruce.

- West On the true line between Sec. 25 & 36. T. 16 N. 6. W. 2<sup>nd</sup> 7<sup>th</sup>
- 39.85 Set the tump. to support at the cor dist on the true line  
from which, Hick 10 in dia. beam. N 34 E 27 links dist  
&c &c. " " " " S 37 W 19 " "

## I. N. 16. N. R. N. of N. D. and (Mm. Ind.)

79.70	To the post cn of lws 25, 26, 35 & 36.
North	Return Jul. 25 & 26 I. N. 16. N. R. N.
7.00	To the North fork of Raccoon 50 links inside corner N. W.
18.34	To a lot of timber 30 in diam in the m.
40.00	Set a 7/8 sap post from whike,
	Wet 10 in diam. from N 30 W 18 links each, & a,
	Do. 20 " " " S 28 E 27 " "
56.10	To a W Oak. 24 in diam in the m.
80.00	Set a post for the cn of lws 23, 24, 25 & 26. from whike,
	Sugar. 15 in diam. from S 8 E 19 links each, & a,
	Do. 24 " " " S 64 W 23 " "
	Send out under good for farming. Timber Walnut,
	Sugar & Buckeye. Hackberry & N. Y. Pampas.
East	On a Raccoon line between Jul. 24 & 25 I. N. 16. N. R. N.
34.50	To the Raccoon 60 links inside, corner N. W.
40.00	Set a trap 7/8 sap post
79.80	Intersect the East Branch 50 links North of the post.
	cn of lws 24 & 25.
	Send a 10 ft. mile hilltop 2nd level Timber Walnut,
	Sugar. Birch & Poplar. N. Y. Spruce.
West	On the line between Jul. 24 & 25 I. N. 16. N. R. N.
39.90	Set the trap 7/8 sap post at the arched on the line from
	whike Birch. 19 in diam. from S 18 E 23 links each,
	under Do. 10 " " " N 18 W 26 " "
79.80	To the post cn of lws 23, 24, 25 & 26.
North	Return Jul. 23 & 24 I. N. 16. N. R. N.
20.32	To a W Oak. 20 in diam. at corner in the m.
40.00	Set a 7/8 sap post from whike,
	W Oak. 20 in diam. from S 30 W 15 links each, & a,
	Sugar. 12 " " " S 57 E 16 " "
52.50	To a Birch 12 links inside, corner E.
63.95	To a W Oak 24 in diam in the m.



## T. N. 16. N. R. N. of W 2nd (Mn. Ind.)

67.29	To Rocky Spring 10 miles and, corner S.E.
80.00	Get a post for the cor of sec 13, 14, 23 & 24 from which Beck 12 in diam: bears S 40 E. 6 miles each; Pa. No. 4 " " " N 40 W 7 " " Land is hilly Timber Sugar. Birch & W Oak. Poplar, In W. Spruce.
East	On a Random line between Sec. 13 & 24. T. 16. N. R. 7 N.
24.00	To a Brook. 10 miles and, corner S.
40.00	Get a post for the trip
79.60	Take out the East Corner at 100 miles North of the Brook cor of Sec. 13 & 24 Land is hilly and good for farming. Timber Sugar. Birch, W Oak Sugar In W. Spruce.
West	On a Random line between Sec. 13 & 24. T. 16. N. R. 7 N.
39.80	Get the trip for a post at the ardent on the line from which Beck 13 in diam: bears N 53 E. 10 miles each and a No. 20 " " " S 9 E. 18 " "
79.60	To the post cor of sec. 13, 14, 23 & 24
North	Between Sec. 13 & 14. T. 16. N. R. 7 N.
18.12	To a — 18 in diam: in the line.
40.00	Get a post for the trip Sugar 18 in diam: bears West 5 miles each; Pa. No. 6 " " " N 60 E. 24 " "
64.50	To a Beck 10 in diam: in the line.
80.00	Get a post for the cor of sec 11, 12, 13 & 14 from which Beck 4 in diam: bears N 12 E. 22 miles each; Pa. No. 20 " " " S 4 W. 10 " " Land is good and good for farming; Timber Sugar. Birch and Hickory. W. Spruce.
East	On a Random line between Sec. 12 & 13. T. 16. N. R. 7 N.
23.75	To a Brook. 10 miles and, corner S. E.
40.00	Get a trip for the trip

## T. N. 16. N.R. N. of W 2nd Mer. Ind.

78.75.	Toa Brook. 12 links mid, corner S.E.
79.72	Set a post at East Borne at 31 links North of the post. Cry of W. 12 & 13. Land hills & good for farming. Timber Sugar. Beet, Oak & Walnut. W & Spruce.
West	On the line between Sec. 12 & 13 T. 16. N.R. 7N
39.86.	Set a post 7 1/2 feet at the south end on the line. from which Oak 36 in diam. bears N 71 E. 12 links each. 80, Beet 10 " " " S 18 E. 14 " "
49.72	To the post on of Sec. 11, 12, 13 & 14
North	Between Sec. 11 & 12 T. 16. N.R. 7N
2.97.	Toa Brook. 7 links mid, corner E.
19.10	To a Sugar. 20 in diam. in the line
40.00	Set a post from which Beet. 15 in diam. bears N 20 W 26. links each. 80, Oak. 15 " " " S 29 E. 15 " "
66.40	To a Beet. 24 in diam. stands in the line.
80.00	Set a post for the corner of Sec. 1, 2, 11 & 12 from which, Oak 36 in diam. bears S 64 E. 25 links each. 80, Beet 10 " " " S 82 W. 21 " " Land hills are good for farming. Timber Sugar, Beet. Oak, Poplar & W & Spruce.
East	On a Random line between Sec. 1 & 12 T. 16. N.R. 7N
40.00	Set a post 7 1/2 feet
43.25.	Toa Brook. 10 links mid, corner S.E.
79.60	Set a post at East Borne at 90 links North of the post. Cry of W. 1 & 12 of S. Land hills are good for farming. Timber Beet, Sugar. Poplar & Oak. W & Spruce.
West	On the line between Sec. 1 & 12 T. 16. N.R. 7N.
79.80	Set a post 7 1/2 feet at the south end on the line

T. N. 16. N. R. N. 7 W. 2<sup>nd</sup> M. S. S. S.

from which, Sugar. 4 in dia: beam. \$70. 19 lbs each  
 one do. 10 " " " \$66. 8 " "  
 79.60 To the post on of sw. 1, 2, 11 & 12

North Return Dec 1<sup>st</sup> 1819 T. 16. N. R. 7 W.  
 20.10 To a Sugar 12 in dia:  
 4.000 Get a 7<sup>th</sup> support from which  
 Buck. 10 in dia: beam. \$12. 23 lbs each, & a  
 do 10 " " " \$20. 7 " "  
 54.43 To a Oak. 24 in dia: in the beam.  
 72.96 Into the W. B. B. at a Buck. 10 in dia: from  
 which, Poplar. 18 in dia: beam. \$52. 13 lbs each.  
 Stays for the on of Dec 1<sup>st</sup>  
 Land and goods for farming. To the Poplar,  
 Walnut & Buck. Sugar & Oak, & 118 Spec.  
 Nov. 5. 1819.

North Return Dec 34 & 35. T. 16. N. R. 7 W.  
 24.38 To a Poplar. 6 in dia: in the beam.  
 4.000 Get a 7<sup>th</sup> support from which  
 Sugar. 30 in dia: beam. \$45. 9 lbs each, & a  
 do. 15 " " " \$17. 15 " "  
 79.42 To a Oak. 8 in dia: in the beam.  
 80.00 Get a post for the on of sw. 26, 27, 34 & 35 from which,  
 Buck. 14 in dia: beam. \$37. 19 lbs each, & a  
 do. 12 " " " \$85. 7 " "  
 Land & goods for farming. To the Sugar, Buck, Oak,  
 & Poplar, 118 Spec. Buck, &.

East Oak Remain beam between Dec 26 & 35 T. 16. N. R. 7 W.  
~~20.00~~ Get a 7<sup>th</sup> support  
 64.00 To the N. S. of Raccoon 60 lbs, Oak, Come J. C.  
 80.00 To the N. S. of Raccoon 60 lbs, Oak, Come J. C.  
 Land & goods for farming. To the Sugar, Buck, Oak,  
 & Poplar, 118 Spec.

T. N. 16. N. R. N. 7. W. 3<sup>rd</sup>. (Mn. Ind.)

West  
40.00  
Cutter line between Sec. 26 & 35 T. 16. N. R. 7 W.  
Get the timber to support at the arched on the line from  
Whitaker Sugar. 20 in diam. trees. 21 W. 16 lumber each.  
Lumber 4 in " " " 19 W. 16 " "  
80.00 To the person of sec. 26, 27, 34 & 35.

North  
32.28  
40.00  
Between Sec. 26 & 27 T. 16. N. R. 7 W.  
To Sugar. 18 in diam. in the line.  
Get a 1/2 support from Whitaker  
Reph. 20 in diam. trees. 25 W. 7 lumber each; 8 in  
Beck. 4 " " " 45 E. 11 " "  
65.75 To Sugar. 18 in diam. in the line.  
80.00 Get a post for the corner of sec. 22, 23, 26 & 27 from Whitaker  
Reph. 18 in diam. trees. 23 W. 8 lumber each; 8 in  
Sugar. 9 " " " 12 E. 15 " "  
Good land and good for farming. Lumber Sugar,  
Beck, Oak & Walnut, 118 Spr.

East  
40.00  
50.50  
79.94  
On a narrow line between Sec. 23 & 26 T. 16. N. R. 7 W.  
Get a timber to support  
To a post 15 lumber each, between N. W.  
Lumber at the N. W. 8 in 7 lumber each of the person of sec  
23, 24, 25 & 26.  
Good land and good for farming. Lumber Reel, Sugar,  
Oak & Walnut, 118 Spr.

West  
39.97  
49.94  
Cutter line between Sec. 23 & 26 T. 16. N. R. 7 W.  
Get the timber to support at the arched on the line  
from Whitaker Sugar. 20 in diam. trees. 135 E. 22 lumber each  
made a 15 " " " 64 E. 23 " "  
To the person of sec. 22, 23, 26 & 27.

North  
24.08  
40.00  
Between Sec. 22 & 23 T. 16. N. R. 7 W.  
To a line 13 in diam. in the line.  
Get a 1/2 support from Whitaker  
Beck 15 in diam. trees. 130 E. 27 lumber each; 8 in



# T. No. 16. RR. No. 7 W 2nd Min. Ind.

80.00 4 Bech. 4 in dir. beam. S 84 W. 11 mts. dist;  
Set a post for the cor of sec. 14 15 22 & 23 from which  
W Oak. 20 in dir. beam. S 38 W. 14 mts. dist. to  
4 Bech 8 " " " N 49 E. 27 "  
Land good for farming; Timber Sugar Walnut &  
Poplar. Red S. W. 8 Spec.

East On a Random line between Sec 14 & 23. T. 16. RR. 7 W.  
40.00 Set a temp. 7/4 report.  
77.00 Top Brook 10 mts. near, corner W.  
80.00 Intersect the N 85 line at the post cor of sec. 13 14.  
23 & 24  
Land good for farming. Timber Red, Poplar & Sugar,  
Cypress &c. W. 8 Spec.

West On the true line between Sec 14 & 23. T. 16. RR. 7 W.  
40.00 Set the temp. 7/4 report at the arch on the true line.  
From which, 4 Bech 8 in dir. beam. S 23 W. 7 mts. dist.  
on sec Sugar. 10 " " " N 52 E. 23 "  
80.00 Intersect the N 85 line at the cor of sec. 14 15 22 & 23.

North Between Sec 14 & 15. T. 16. RR. 7 W.  
14.25 To an E beam. 24 in dir. in the line.  
40.00 Set a 7/4 report from which  
Sugar. 12 in dir. beam. S 63 E. 8 mts. dist. to  
4 Bech 5 " " " S 81 W. 12 " "  
57.00 To a W Oak. 48 in dir. in the line.  
80.00 Set a post for the cor of sec 10 11 14 & 15 from which  
Sugar 12 in dir. beam. N 80 E. 14 mts. dist. to  
4 Bech 4 " " " S 74 W. 9 " "  
Land good for farming; Timber Red Sugar,  
Ash Oak, &c. W. 8 Spec.

East On a Random line between Sec 11 & 14. T. 16. RR. 7 W.  
40.00 Set a temp. 7/4 report.  
74.50 Top Brook 10 mts. near corner W.



T. N. 16. NR. N. 7. W. 2<sup>nd</sup>. (M. Land.)

49.60 Sub. cut the N 15' line 10 links South of the post on of sec. 11. 12 13 & 14.  
Land good for farming; Timber Sugar Mahunt, & Poplar  
W. Spruce.

West  
39.80 Cut the line between Sec. 11 & 14. T. 16. NR. 7 W.  
Set the trip. 1/4 support at the ar ditch on the line from  
Whitaker, Blackberry 20 in. diam. line. N 7 E 13 links each to,  
Back. 12 " " " S 54 N. 25 " "  
49.60 To the post on of sec. 10 14 14 & 15.

West  
29.00 Return Sec 10 & 11. T. 16. NR. 7 W.  
To a Back. 12 in. diam. in the line.  
40.00 Set a 1/4 support from Whitaker,  
Back 3 in. diam. line. N 47 W. 21 links each, to,  
Loc. 14 " " " S 53 E. 41 " "  
57.25 To a Back. 15 links near corner S. W.  
70.30 To a Back. 15 in. diam. in the line.  
80.00 Set a post for the cor. of sec. 2, 3, 10 & 11. from Whitaker,  
Back 10 in. diam. line. N 50 E. 8 links each, to,  
Loc. 20 " " " S 18 N. 19 "  
Land good for farming. Timber Back, Sugar & Poplar,  
W. Oak, & W. Spruce.

East  
20.00 Cut Random line between Sec. 2 & 11. T. 16. NR. 7 W.  
Set a trip. 1/4 support  
79.92 Sub. cut the N 15' line at the post on of sec. 1, 2, 11  
& 12.  
Land but and good for farming; Timber Back,  
Sugar Poplar. & White

West  
39.96 Cut the line between Sec. 2 & 11. T. 16. NR. 7 W.  
Set the trip. 1/4 support at the ar ditch on the line from  
Whitaker, Sugar. 20 in. diam. line. N 84 W. 14 links each  
and a Back. 18 " " " S 12 N. 29 " "  
49.92 To the post on of sec. 2 & 10 11.

T. N. 16. N. R. N. 7 W. 2<sup>nd</sup> (Mn. Ind.)

North Return Jan 27 & 3. T. 16. N. R. 7 W.  
 39.00 Top Brook. 8 cuts, near Centre S. W.  
 40.00 Set a post from which  
 Brook. 15 in diam. line. N 25 E 35 cuts, ash. Pa.  
 Co. 20 " " " S 67 W. 21 " "  
 70.80 Set a post at the NW Corner and set a post for the  
 of sec. 23 from which  
 Brook. 20 in diam. line. N 69 E. 5 cuts, ash. Pa.  
 Co. 8 " " " S 53 W. 22 " "  
 Land here and good for farming; Lumber Beech,  
 Ash. Poplar & Walnut, N. Y. Spruce.  
 Nov. 6. 1819.

North Return Jan 33 & 34. T. 16. N. R. 7 W.  
 18.36 To an Old Oak 30 in diam. in the line.  
 40.00 Set a post from which  
 Walnut 18 in diam. line. N 62 E. 52 cuts, ash. Pa.  
 Willow Co. " " S 14 W. 44 " "  
 41.00 Top Brook. 30 cuts, near, Co. 15 W.  
 59.10 To a Hickory 10 in diam. in the line.  
 78.25 " " Brook 30 cuts, near, Co. S 5 E.  
 80.00 Set a post for the corner of sec. 27, 28, 33 & 34. from which  
 Sugar. 10 in diam. line. N 82 W. 11 cuts, ash. Pa.  
 Co. 6 " " " N 78 E. 10 " "  
 Land here good for farming; Lumber Beech, & Walnut,  
 N. Y. Spruce.

East On a Run and line between Jan 27 & 34. T. 16. N. R. 7 W.  
 16.75 Top Brook 10 cuts, near, Centre S. W.  
 40.00 Set a post from which  
 80.00 Set a post at the NW Corner 41 cuts South of the post on  
 sec. 26, 27, 32 & 33  
 Land here and good for farming; Lumber Beech,  
 Sugar. Poplar & Walnut. Co. N. Y. Spruce.

West On the line between Jan 27 & 34. T. 16. N. R. 7 W.



## T. N. 16. N. R. N. of W. 2nd. (Mn. Land.)

38.50 To a Brook 8 units via, Corner E.  
 40.00 Set a 1/2 cu post. from which  
 Sugar. 12 in diam. bars. S 39 N. 13 units out: 72  
 Hornbeam 3 " " " S 67 E. 18 " "  
 64.50 To a Poplar. 36 in diam. in the line.  
 85.00 Set a post for the cor of sec. 15, 16. 21 & 22 from which  
 Sugar. 5 in diam. bars. N 36 E. 9 units out: 72  
 Ash. 12 " " " S 16 W. 25 " "

Land hilly inter sparsed with some good farming  
 lands. Timber Beech, Ash & Poplar. 118 Spruce.

East  
 13.50 On a Run down line between Sec. 15 & 22 T. 16. N. R. 7 W.  
 33.50 To a Brook 8 units via, Corner S. W.  
 40.00 " " 12. 15 " " " S. W.  
 40.00 Set a trap 1/2 cu post.  
 79.94 Set a trap 1/2 cu post. <sup>64 lbs of</sup> at the post cor of sec. 14, 15, 21 & 23.  
 Land, Pt. 1/2 mile hilly. 2nd rate. 2nd 1/2 land &  
 good for farming. Timber Beech, Sugar & Poplar.  
 118 Spruce.

West  
 39.94 On a Run line between Sec. 15 & 22 T. 16. N. R. 7 W.  
 Set a trap 1/2 cu post at the cor of sec. 14, 15, 21 & 23  
 from which  
 Beech 4 in diam. bars. S 21 W. 10 units out: 72  
 12. 3 " " " S 21 E. 3 " "  
 79.97 To the post cor of sec. 15, 16, 21 & 22.

North  
 30.00 Between Sec. 15 & 16 T. 16. N. R. 7 W.  
 40.00 To a Brook 8 units via, Corner E.  
 40.00 Set a 1/2 cu post from which  
 Beech. 20 in diam. bars. N. 9 E. 17 the met: 72  
 12. 15 " " " S 37 W. 13 " "  
 80.00 Set a post for the cor of sec. 9, 10, 15 & 16. from which  
 Sugar. 8 in diam. bars. N 54 W. 5 units out: 72  
 Beech, Cedar N 42 E. 17 " "



T. N. 16. N. R. No. 7 of 2<sup>nd</sup> M. Ind.

Land level and good for farming. Timber Sugar,  
Poplar Walnut. & W. Spruce.

East Ona River line between Sec. 10 & 15 T. 16 N. R. 7 W.

40.00 Set a trap 1/2 mi. up post.

80.00 Set out the N. R. line 97 cuts South of the post on of  
Sec. 10 11 14 & 15.

Land level and good for farming; Timber Beech,  
Poplar, &c. W. Spruce.

West Ona River line between Sec. 10 & 15 T. 16 N. R. 7 W.

40.00 Set a 1/2 mi. up post from white.

Sec. 15 in dist. from. 973 N. 19 cuts each; 80

Beech. 12 " " " 14 E. 8 " "

80.00 To the post on of Sec. 9 10 15 & 16.

North Between Sec. 9 & 10 T. 16 N. R. 7 W.

24.22 To a Brook. 10 cuts, min, across N. R.

27.70 " " Beech. 24 in dist. to the river.

40.00 Set a 1/2 mi. up post from white,

Beech. 14 in dist. from 975 N. 17 cuts each; 80

Heiky 28 " " " 189 E. 14 " "

80.00 Set a post for the corner of Sec. 3 4 9 & 10 from white

Beech. 15 in dist. from. 930 N. 41 cuts each; 80

Maple 30 " " " 168 E. 11 " "

Land level and good for farming. Timber Beech,  
Walnut, Hickory &c. W. Spruce.

Nov. 9<sup>th</sup> 1819.

East Ona River line between Sec. 9 & 10 T. 16 N. R. 7 W.

40.00 Set a trap 1/2 mi. up post at the corner of the line from white

80.00 Set out the N. R. line 100 cuts South of the post on of Sec.  
2, 3, 10 & 11.

Land level, Timber Beech, Sugar, Poplar, &c.  
W. Spruce, &c.



T. N. 16. N. R. No. 77 Q<sup>1</sup>.<sup>2</sup> Mon. Ind.

West Out the line between Sec. 3 & 10. T. 16. N. R. 77.  
 40.00 Set a post 100 ft. at the corner in the line  
 from which  
 Sugar. 10 in air. from S 55° W. 24 units north, &  
 Poplar. 40 " " " S 53° E. 10 " "  
 80.00 Set the post on of sec. 3 & 14. 770.

North Between Sec. 3 & 14. T. 16. N. R. 77.

13.66<sup>x</sup> Set a post 15 units north, corner S 77°  
 28.90<sup>x</sup> " " 9 " " " S 77°  
 33.67<sup>x</sup> To Sugar. 15 in air. in the line  
 40.00 Set a post 100 ft. from which  
 Birch. 8 in air. from S 55° W. 30 units north, &  
 Ash. 12 " " " S 53° E. 8 " "  
 49.00 Set a post 100 ft. from which, corner S 77°  
 56.50 " " Birch. 18 in air. from the line.  
 72.50 Set a post on the N. boundary and set a post for the corner of  
 Sec. 3 & 14. from which  
 Sugar. 10 in air. from S 19° E. 13 units north, &  
 Elm. 20 " " " S 35° W. 5 " "  
 Land is good for farming; Timber Birch, Sugar, Maple.  
 My Spur.

North Between Sec. 32 & 33. T. 16. N. R. 77.

17.40 To Sugar. 18 in air. in the line.  
 40.00 Set a post 100 ft. from which  
 Birch. 6 in air. from S 36° E. 14 units north, &  
 Walnut. 18 " " " S 15° W. 35 " "  
 65.00 To a post 30 in air. in the line  
 80.00 Set a post for the corner of sec. 28, 29, 32 & 33 from which  
 Poplar 10 in air. from S 83° W. 11 units north, &  
 Oak. 40 " " " S 68° E. 26 " "  
 Land is low and flat; Timber Birch, Elm & Hickory  
 My Spur.



T. N<sup>o</sup> 16. N.R. N<sup>o</sup> 7 W 2<sup>nd</sup> Mar. Ind.

Whitka Creek. 6 in dist: bears N39 E. 9 links each;  
 & Do. 18 " " S70 W 39 " "  
 79.40 To the post on of sec. 20. 21. 28 & 29.

North Return Sec. 20 & 21. T. 16. N.R. 7 W  
 17.44 To a Sugar. 26 in dist: in the line.  
 40.00 Set a 1/4 post from whitka  
 Creek. 24 in dist: bears S18 E. 35 links each, &  
 Horn beam 5 in dist: bears N10 W 22 links each, &  
 68.92 To a Creek 30 in dist: stands in the line.  
 80.00 Set a post for the cor of sec. 16. 17. 20 & 21 from whitka  
 Creek. 6 in dist: bears N65 E. 22 links each, &  
 Sugar. 14 " " S64 W 22 "  
 Said land and goods for farming: Timber Poplar,  
 Sugar & Walnut, 119 Spr.

East On a Random line between Sec. 16 & 21. T. 16. N.R. 7 W  
 40.00 Set a temp. 1/4 post  
 79.20 Enter out the N53 line 60 links South of the post on of  
 Sec. 15 16. 21 & 22  
 Said land and goods for farming: Timber Beech,  
 Sugar & Hickory, 119 Spr.

West On the new line. between Sec. 16 & 21. T. 16. N.R. 7 W  
 39.60 Set the temp. 1/4 post at the ar dist on the line from where  
 a Creek. 15 in dist: bears S82 E. 30 links each, &  
 Poplar, 30 " " N5 E 30 " "  
 79.20 To the post on of sec. 16 17. 20 & 21.

North Return Sec. 16 & 17. T. 16. N.R. 7 W  
 23.00 To a Brook 6 links wide, corner N.W.  
 36.40 " " Creek 30 in dist: in the line.  
 40.00 Set a 1/4 post from whitka  
 Poplar 48 in dist: bears N73 E. 24 links each &  
 Creek. 34 " " N17 W 37 " "





## J. N. W. N. R. N. J. W. D. M. L. S.

79.00	Section cut in N 8 line 100 miles North of the post on of L. 349 110. Land good for farming; Timber Beech, Ash & Hickory W. Spruce.
West	On the line between L. 449 J. N. W. N. R. J. W.
39.50	Set a post apart from which Beech 24 in diam. trees. N 51 W 37 miles north; 73 Do. 18 " " " 84 E 19 " "
79.00	To the post on of L. 45, 849.
North	Between L. 445 J. N. W. N. R. J. W.
21.67	To a Blackberry 24 in diam. in the line.
25.00	" " " 30 miles north, corner J. W.
40.00	Set a post apart from which Sugar. 18 in diam. trees. N 20 W 8 miles north; 73 Do. 15 " " " N 88 E 17 " "
56.95	To a Beech 18 in diam. in the line.
69.67	Section cut in N 8 line at the post on of L. 32 & 33. 405 from which Poplar 40 in diam. trees. N 55 W 21 miles north; 73 Sugar. 10 " " " N 66 E 20 " "
	Land good for farming; Timber Beech Poplar & Walnut W. Spruce.
North	Between L. 31 & 32 J. N. W. N. R. J. W.
19.50	To a Beech 20 in diam. in the line.
40.00	Set a post apart from which Sugar. 10 in diam. trees. N 34 W 11 miles north; 73 Do. 18 " " " N 77 W 10 " "
33.89	To a Sugar. 24 in diam. in the line.
86.00	Set a post for the corner of L. 29, 36 31 & 32 from which W. Walnut 16 in diam. trees. N 62 E 25 miles north; 73 Sugar. 15 " " " N 47 W 24 " "
	Land good for farming; Timber Beech. Sugar Ash Spruce. Oak, Hickory W. Spruce.

# T. N. 16. N. R. N. of W. 2nd Mer. Ind.

373

East	Open Run am line between Sec. 29 & 30 T. 16. N. R. 7 W.
14.50	To a Brook. 8 mts mid, corner S.
40.00	Set a trap. 7 ft. apart.
42.00	To a Brook 15 mts mid, corner S.
79.94	Set out the N. 1/2 line 60 mts North of the post on of Sec. 28. 29. 30 31 & 32 Land here and good for farming. Timber Sugar, Maple, Beech, Hickory, & Walnut, H. S. Pine.
West	Open Run line between Sec. 29 & 30 T. 16. N. R. 7 W.
39.97	Set the trap. 7 ft. apart at the corner with the line from which, Beech. 8 in diam. here N. 48 W. 7 mts each and a Sugar. 18 " " " S. 85 E. 19 " "
79.94	Set the post on of Sec. 29. 30. 31 & 32.
West	Between Sec. 30 & 31 T. 16. N. R. 7 W.
40.00	Set a trap apart from which, N. 1/2 line 10 in diam. here S. 69 E. 6 mts each, to Sugar. 10 " " " S. 24 W. 25 " "
45.50	To a Brook. 12 mts mid, corner S. E.
81.50	Set out the West Boundary 189 mts North of the post on of Sec. 25 & 36 T. 16. N. R. 8 W. and set apart for the cor " " 30 & 31 from which, Hickory 3 in diam. here N. 4 W. 14 mts each, to Beech. 12 " " " S. 14 W. 32 " " Land here and good for farming; Timber Walnut, Sugar. Poplar & Hickory, H. S. Pine.
North	Between Sec. 29 & 30 T. 16. N. R. 7 W.
18.50	To a Brook 10 in diam. stands in the line.
40.00	Set a trap apart from which, Sugar. 12 in diam. here N. 4 E. 18 mts each, to Ash. 10 " " " S. 24 W. 16 " "
56.75	To a Brook. 12 in diam. in the line.
80.00	Set apart for the cor of Sec. 19. 20. 29 & 30 from which, <del>Sugar. 12 in diam. here N. 4 E. 18 mts each, to</del>



## T. N. 16. N. R. N. 7. W. 2nd Mer. Ind.

Poplar 18 in dia. trees. S80 W. 20 miles north to  
 Ash. 3 " " " N86 E. 16 "  
 Land level and good for farming. Timber Sugar,  
 Walnut, Poplar & Birch. W. Spruce.

East On a random line between Sec. 20 & 29 T. 16. N. R. 7 W.  
 52.00 To a Birch, 10 miles north, corner S.  
 79.70 Intersect the N & S line at the post corner of sec. 20. 21. 28 & 29.  
 Good good farming land. Timber Sugar, Walnut,  
 Poplar & Hickory. W. Spruce.

West On the same line between Sec. 20 & 29 T. 16. N. R. 7 W.  
 39.85 Set the timber line apart at the corner in the same line from  
 which, Birch 6 in dia. trees. N19 E. 40 miles north,  
 under No. 6 " " " S14 W. 30 " "  
 79.70 To the post corner of sec. 19. 20. 29 & 30.

West On the same line between Sec. 19 & 30 T. 16. N. R. 7 W.  
 40.00 Set the line apart from which,  
 Spruce 18 in dia. trees. N8 E. 23 miles north to,  
 Hornbeam 4 " " " N64 W. 12 " "  
 81.65 Intersect the West Boundary 16 1/2 miles north of the post corner  
 Sec. 24 & 25. T. 16. N. R. 8 W. and set apart for the corner  
 " " 19 & 30 from which,  
 Sugar. 20 in dia. trees. S65 W. 25 miles north; tag  
 Elm. 18 " " " S65 E. 19 " "  
 Land level and good for farming; Timber Sugar Walnut  
 Poplar & Hickory. W. Spruce & S.

North Between Sec. 19 & 20 T. 16. N. R. 7 W.  
 22.45 To a Oak 48 in dia. in the river.  
 40.00 Set apart from which,  
 Ash. 12 in dia. trees. West 33 miles north to,  
 Elm. 18 " " " S67 E. 30 " "  
 63.25 To a Poplar 24 in dia. in the river.  
 80.00 Set apart for the corner of sec. 17. 18. 19 & 20 from which,

## T. N. 16. N. R. N. 7 W. 2nd Mer. Ind.

Beck 20 in dist. from N 56 N 23 miles north, Va.  
 No. 4 " " " " 20 E. 12 " "  
 Land level and good for farming; Timber Sugar, Walnut,  
 Poplar, Ash, &c. 119 Spins.

East On a Run line between Sec. 17 & 20 T. 16. N. R. 7 W.

15.38. To a Brook 10 miles wide, corner N. W.

40.00 Set a trip 1/2 in support

79.98. Intersub the N. W. line 60 miles South of the first one of sec.  
 16. 17 & 21.

Land good for farming; Timber Sugar, Walnut, ash, Pop-  
 lar, &c. 119 Spins.

West On the Run line between Sec. 17 & 20 T. 16. N. R. 7 W.

39.99 Set the trip 1/2 in support at the corner in the Run line from which

Sugar. 15 in dist. from N 69 N. 12 miles north, Va.

No. 10 " " " " 14 E. 17 " "

79.98 To the first one of sec. 17, 18, 19 & 20.

West Between Sec. 18 & 19 T. 16. N. R. 7 W.

11.00 To a Brook 6 miles wide, corner N.

40.00 Set a 1/2 in support from which

Poplar. 18 in dist. from N 22 N 19 miles north, Va.

No. 20 " " " " 48 E. 15 " "

82.00 Intersub the West Boundary 260 miles North of the first one  
 of sec. 13 & 24. T. 16. N. R. 8 W. and set apart for the one of  
 Sec. 18 & 19 from which

Sugar. 20 in dist. from 20 E. 36 miles north; Va.

No. 10 " " " " 20 N 48 " "

Land hilly and good for farming; Timber Sugar,  
 Walnut, ash, & White. 119 Spins.

North Between Sec. 17 & 18 T. 16. N. R. 7 W.

21.82 To a Brook 12 miles wide, corner N. W.

30.25 To a Sugar. 15 in dist. in the line.

40.00 Set a 1/2 in support from which

T. No 16. N. R. No 7 T. 2<sup>nd</sup> Mer. Ind.

Beck 15 in dia. beam. \$38.71 11 links each, &  
 Do. 10 " " " \$17.63 8 " "  
 48.00 To a Poplar, 24 in dia. in the beam.  
 58.00 To a Birch, 20 links in dia. across L. W.  
 80.00 Set a post for the end of bar 7.8.17 & 18 from which  
 Beck 15 in dia. beam \$38.71 10 links each, &  
 Hornbeam 4 " " " \$21.60 " "  
 Land level and goods for farming: Timber Sugar, Poplar,  
 & Birch, W. Spruce.

East On a Ram arm line between Sec 8 & 17 T. 16. N. R. 7 W.  
 20.00 Enter a Maple flat with Pond to the North.  
 40.00 Set a timber post for support.  
 79.85. Enter cut the N & S line at the first end of Sec. 8. 9. 16 & 17.  
 Land level indicated to Swamp 2<sup>nd</sup> for land and  
 goods land for farming,  
 Timber W Oak, Poplar & Maple, & Birch, W Spruce.

West On the New line between Sec 8 & 17 T. 16. N. R. 7 W.  
 39.92 Set the timber post at the end of the line from which  
 Beck 20 in dia. beam. \$37.69 11 links each, &  
 Elm. 10 " " " \$37.71 8 " "  
 From this on the pond beam North & West.  
 79.85. To the post end of Sec 7.8.17 & 18.

West Between Sec 7 & 18 T. 16. N. R. 7 W.  
 23.79 To a Beck 18 in dia. in the beam.  
 40.00 Set a post for support from which  
 Beck 4 in dia. beam. \$17.71 — the each, &  
 Do. 4 " " " \$3.60 12 " "  
 56.85 To a Sugar. 15 in dia. in the beam.  
 82.50 Enter cut the West Branch of Township.

North Between Sec 7 & 18 T. 16. N. R. 7 W.  
 25.09 To a Gum. 20 in dia. in the beam.  
 40.00 Set a new post from which



	Beck. 12 in air. from S19 E. 15 miles north: Pa
	Lo. 10 " " " N19 W. 50 " "
76.50	To a Brook. 35 miles near, corner N.W.
80.00	Set a post for the cor of sec. 5, 6, 7 & 8 from which a
	Engm. 15 in air. from S20 E. 11 miles north: Pa
	Duckeyo. 12 " " " N45 W. 42 " "
	Land here and good for farming; Timber Beech, Sugar,
	Walnut, Poplar, Walnut, &c. W. Spruce.
East	On a Runway line between Sec 5 & 8. S. 16. N. R. 7 W.
25.50	To a Brook 35 miles near, corner S.W.
40.00	Set a trap for a post.
80.00	Set a post on the N.W. line at the first cor of sec 4, 5, 8 & 9.
	Land here and good for farming; Timber Sugar, Walnut,
	W Oak, Beech &c. W. Spruce.
West	On the Runway line between Sec 5 & 8 S. 16. N. R. 7 W.
40.00	Set the trap for a post at the air dish on the Runway line from which
	a W Oak. - in air. from S10 E. 16 miles north: Pa
	Beck. 12 " " " N35 W. 32 " "
80.00	Set a post on the line at the first cor of sec. 5, 6, 7, & 8.
West	Between Sec. 6 & 7 S. 16. N. R. 7 W.
7.00	To a Brook. 35 miles near, corner N.W.
40.00	Set a post for a post from which
	Beck. 12 in air. from S2 E. 4 miles north: Pa
	Lo. 9 " " " N2 E. 13 " "
47.00	To a Brook. 5 miles near, corner N.E.
82.90	Set a post on the West Boundary 338 miles North of the first cor.
	of Sec. 1 & 12 S. 16. N. R. 7 W. and set a post for the cor of
	a 600 ft. from which
	W Oak. 48 in air. from N26 E. 20 miles north: Pa
	Beck. 15 " " " S88 E. 21 " "
	Land here and good for farming; Timber Beech, Sugar,
	W Oak & Poplar, W. Spruce.

T. N. 16. N. R. N. 7 N 2<sup>d</sup> Mer. Ind.

North Return Ch. 576. T. 16. N. R. 7 N.  
 14.30 To a Walnut 34 in dia. in the tree.  
 40.00 Set a post from which a  
 alk 10 in dia. tree. S 81 E. 18 units each, Pa.  
 No. 6 " " Set 47 N. 25 " "  
 52.90 To a Buck 30 in dia. in the tree.  
 62.50 To a Buck 10 miles wide, Corner W.  
 69.11 Intersect the W. B. road and set a post for the corner of lot  
 576. from which a  
 Poplar 20 in dia. tree. N 50 W. 14 units each, Pa.  
 Dogwood 4 " " S 67 E. 14 " "  
 Land here and good for farming. Timber Sugar. App. Oak.  
 Poplar, Walnut, W. Spruce.

Surveyed by  
 William Polk & D. S.

I certify that the foregoing Transcript of the field notes  
 of Township N. 16. North of Range N. 7 West of the  
 2<sup>d</sup> Mer. in Indiana, has been compared with the original  
 notes in the Office, and found to be correct.

Surveyor General's Office,

Cincinnati, August 9 1844

W. H. Daines  
 Sur. Gen.